



Jiangsu Jinmeicheng Metal products Co., LTD
江苏金美诚金属制品有限公司




公司简介Company Profile



Jiangsu Jinmeicheng Metal Products Company was established in 2018 and has been deeply involved in the industry of aluminum for 7 years. As a national high-tech manufacturer, we were engaged in processes of integrating product design, production, sales and maintenance. The current factory and office area is **more than 10000 square meters**, There are 600 tons、1000 tons、2000 tons of 4 advanced aluminum alloy extrusion production lines、2 drawing lines、5 advanced finned tube production lines、2 sets of CNC equipment. And providing large, small oxidation, post-processing and other services, can maximize the satisfaction of customers. We focus on aluminum products, and provide **customized solutions for transportation, aviation, furniture, building, chemical engineering, electronic, manufacture and electricity**. Our main products are including aluminum tubes, aluminum bars, irregular aluminum profiles, charging room, finned tube and other aluminum products. Our production process with well-equipped facilities and all-round quality control process, and our products are guaranteed by standard certificates of **NSF-ISR, ZTW, UDEM, ECM, for overseas sales**. More than **50 countries** of overseas markets are enjoying our aluminum profiles products. After **7 years development**, the company has built an excellent team of technical, sales, production, quality inspection and logistics, which ensure that we could provide professional and high-quality services from product design to project implementation. Our vision is to improve people's life with aluminum profiles. We look forward to cooperating with you.

证书 Certificate



流水线铝型材 Assembly Line Aluminum Profile




4080




4040




8080



2020




4040




3060


流水线铝型材 Assembly Line Aluminum Profile



National Standard 1530T
Sandblasted Black



European standard 1640L thick
Sandblasted Black



National standard 1560T
sandblasted black



European standard 1640L thick
Natural color oxidation




European standard 2040N1-40 face seal slot
sandblasted black




4080

流水线铝型材 Assembly Line Aluminum Profile


















流水线铝型材 Assembly Line Aluminum Profile


















1、European Standard Series #40*40

4040 规格
















Autodesk

型号	YX-4040A		型号	YX-4040 AT01		型号	YX-4040 AT06	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.058kg/m		米重	1.564kg/m		米重	1.548kg/m	
实际			实际			实际		
型号	YX-4040 AT13		型号	YX-4040 AT37		型号	YX-4040 AT41	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.798kg/m		米重	1.475kg/m		米重	1.140kg/m	
实际			实际			实际		
型号	YX-4040B		型号	YX-4040C		型号	YX-4040F	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.550kg/m		米重	1.318kg/m		米重	1.329kg/m	
实际			实际			实际		
型号	YX-4040H		型号	YX-4040R		型号	YX-4040T	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	0.896kg/m		米重	1.496kg/m		米重	1.197kg/m	
实际			实际			实际		
型号	YX-4040AN		型号	YX-4040AP		型号	YX-4040BI	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.125kg/m		米重	1.851kg/m		米重	1.562kg/m	
实际			实际			实际		

2、European Standard Series #40*40

型号	YX-4040BJ		型号	YX-4040BK		型号	YX-4040BO	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.227kg/m		米重	1.785kg/m		米重	1.746kg/m	
实际			实际			实际		
型号	YX-4040CL		型号	YX-4040CM		型号	YX-4040DH	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.545kg/m		米重	1.02kg/m		米重	1.546kg/m	
实际			实际			实际		
型号	YX-4040DM		型号	YX-4040GF		型号	YX-4040D	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.498kg/m		米重	1.843kg/m		米重	1.872kg/m	
实际			实际			实际		
型号	YX-4040L		型号	YX-4040DC		型号	YX-4040DE	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.232kg/m		米重	1.658kg/m		米重	1.658kg/m	
实际			实际			实际		
型号	YX-4040AB		型号	YX-4040XA		型号	YX-4040XB	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.261kg/m		米重	1.192kg/m		米重	1.49kg/m	
实际			实际			实际		
















3、European Standard Series #40*40

型号	YX-4040XC		型号	YX-4040AC		型号	YX-4040M	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.78kg/m		米重	1.592kg/m		米重	1.915kg/m	
实际			实际			实际		
型号	YX-4040AT05		型号	YX-4040AT42		型号	YX-4040AT43	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.561kg/m		米重	1.405kg/m		米重	1.665kg/m	
实际			实际			实际		
型号	YX-4040AE		型号	YX-4040AF		型号	YX-4040AG	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.289kg/m		米重	1.551kg/m		米重	1.3kg/m	
实际			实际			实际		
型号	YX-4040AH		型号	YX-4040AI		型号	YX-4040AK	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	0.946kg/m		米重	1.219kg/m		米重	1.983kg/m	
实际			实际			实际		
型号	YX-4040AL		型号	YX-4040RL		型号	YX-4040GB	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.631kg/m		米重	0.821kg/m		米重	1.86kg/m	
实际			实际			实际		











4、European Standard Series #40*40

型号	YX-4040DA		型号	YX-4040CA		型号	YX-4040BD	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.1kg/m		米重	1.505kg/m		米重	1.611kg/m	
实际			实际			实际		
型号	YX-4040GG		型号	YX-4040GA		型号	YX-4040GC	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.25kg/m		米重	1.145kg/m		米重	1.17kg/m	
实际			实际			实际		
型号	YX-4040HD		型号	YX-4040HA		型号	YX-4040EG	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.698kg/m		米重	0.847kg/m		米重	1.65kg/m	
实际			实际			实际		
型号	YX-4040CI		型号	YX-4040JY		型号	YX-4040SA	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.097kg/m		米重	1.52kg/m		米重	1.77kg/m	
实际			实际			实际		
型号	YX-4040SC		型号	YX-4040AT36		型号	YX-4040JS	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.38kg/m		米重	0.995kg/m		米重	1.865kg/m	
实际			实际			实际		












5、European Standard Series #40*40

型号	YX-4040CF		型号	YX-4040JA		型号	YX-4040HB	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.49kg/m		米重	2.35kg/m		米重	1.62kg/m	
			实际			实际		
型号	YX-4040ZD		型号	YX-4040AT		型号	YX-4040AT02	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	0.955kg/m		米重	1.1kg/m		米重	0.86kg/m	
型号	YX-4040HG		型号	YX-4040AT35		型号	YX-4040CX	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.58kg/m		米重	1.26kg/m		米重	1.17kg/m	
型号	YX-4040MA		型号	YX-4040ZA		型号	YX-4040AT19	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.18kg/m		米重	1.94kg/m		米重	1.56kg/m	
型号	YX-4040AT03		型号	YX-4040HR01		型号	YX-4040HR02	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.316kg/m		米重	1.39kg/m		米重	1.4kg/m	

6、European Standard Series #40*40

型号	YX-MZ004		型号	YX-MZ007		型号	YX-BYN019	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.25kg/m		米重	1.53kg/m		米重	2.2kg/m	
实际			实际			实际		
型号	YX-BYN030		型号	YX-SHJL004		型号	YX-SHBX011	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.37kg/m		米重	1.19kg/m		米重	1.6kg/m	
实际			实际			实际		
型号	YX-MZ001		型号	YX-SZZD004		型号	YX-MZ4040Y	
规格	40X40		规格	40X40		规格	40X40	
壁厚			壁厚			壁厚		
米重	1.73kg/m		米重	1.15kg/m		米重	1.85kg/m	
实际			实际			实际		
型号	YX-4040HR03							
规格	40X40							
壁厚								
米重	1.375kg/m							
实际								

7、European Standard Series #40*80

型号	YX-4080JB		型号	YX-4080 Y18		型号	YX-MZ40 80Y	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	3.29kg/m		米重	2.74kg/m		米重	2.88kg/m	
型号	YX-4080HR		型号	YX-4080 HG				
规格	40X80		规格	40X80				
壁厚			壁厚					
米重	2.41kg/m		米重	2.68 kg/m				
型号	YX-40120		型号	YX-40120D		型号	YX-JY013	
规格	40X120		规格	40X120		规格	40X120	
壁厚			壁厚			壁厚		
米重	3.928kg/m		米重	4.071kg/m		米重	5.73kg/m	
型号	YX-40160		型号	YX-40160C				
规格	40X160		规格	40X160				
壁厚			壁厚					
米重	5.098kg/m		米重	4.974kg/m				
型号	YX-40200							
规格	40X200							
壁厚								
米重	6.268kg/m							

8、European Standard Series #40*80

		Autodesk			
型号	YX-4080		型号	YX-4080AK	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.962kg/m		米重	3.177kg/m	
实际			实际		
型号	YX-4080AT		型号	YX-4080AU	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	3.149kg/m		米重	2.795kg/m	
实际			实际		
型号	YX-4080CE		型号	YX-4080F	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.516kg/m		米重	2.189kg/m	
实际			实际		
型号	YX-4080GE		型号	YX-4080N	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.720kg/m		米重	2.554kg/m	
实际			实际		
型号	YX-4080Y06		型号	YX-4080Y08	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.323kg/m		米重	2.141kg/m	
实际			实际		
型号	YX-4080AQ		型号	YX-4080CB	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.156kg/m		米重	2.597kg/m	
实际			实际		
型号	YX-4080GB		型号	YX-4080W	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.130kg/m		米重	3.420kg/m	
实际			实际		
型号	YX-4080Y16		型号	YX-4080Y16	
规格	40x80		规格	40x80	
壁厚			壁厚		
米重	2.187kg/m		米重	2.187kg/m	
实际			实际		
















9、European Standard Series #40*80

型号	YX-4080E		型号	YX-4080Y ₀₁		型号	YX-4080L	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.807kg/m		米重	3.289kg/m		米重	2.237kg/m	
型号	YX-4080C		型号	YX-4080XA		型号	YX-4080XB	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.251kg/m		米重	2.01kg/m		米重	2.67kg/m	
型号	YX-4080XC		型号	YX-4080AB		型号	YX-4080AL	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	3.07kg/m		米重	2.765kg/m		米重	3.177kg/m	
型号	YX-4080AD		型号	YX-4080AF		型号	YX-4080AE	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.821kg/m		米重	2.848kg/m		米重	4.58kg/m	
型号	YX-4080 _{Y21}		型号	YX-4080CD		型号	YX-4080Y ₁₇	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	3.509kg/m		米重	3.998kg/m		米重	3.322kg/m	

10、European Standard Series #40*80

型号	YX-4080GA		型号	YX-4080GC		型号	YX-4080AT 10	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.18kg/m		米重	1.98kg/m		米重	2.444kg/m	
实际			实际			实际		
型号	YX-4080GD		型号	YX-4080BA		型号	YX-4080HD	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.01kg/m		米重	2.94kg/m		米重	2.815kg/m	
实际			实际			实际		
型号	YX-4080XN		型号	YX-4080JA		型号	YX-BYN008	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	3.455kg/m		米重	4.16kg/m		米重	3.4kg/m	
实际			实际			实际		
型号	YX-BYN031		型号	YX-SHJL005		型号	YX-MZ006	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2.73kg/m		米重	2.13kg/m		米重	2.66kg/m	
实际			实际			实际		
型号	YX-4080 AT01		型号	YX-4080AT 02		型号	YX-4080 AS	
规格	40X80		规格	40X80		规格	40X80	
壁厚			壁厚			壁厚		
米重	2 kg/m		米重	2.87kg/m		米重	1.93kg/m	
实际			实际			实际		







11、European Standard Series #30*30

型号	YX-3030		型号	YX-3030A		型号	YX-3030B	
规格	30X30		规格	30X30		规格	30X30	
壁厚			壁厚			壁厚		
米重	0.888kg/m		米重	0.856kg/m		米重	0.937kg/m	
实际			实际			实际		
型号	YX-3030C		型号	YX-3030G		型号	YX-3030K	
规格	30X30		规格	30X30		规格	30X30	
壁厚			壁厚			壁厚		
米重	0.789kg/m		米重	0.896kg/m		米重	0.999kg/m	
实际			实际			实际		
型号	YX-3030S		型号	YX-3030AC		型号	YX-3030AD	
规格	30X30		规格	30X30		规格	30X30	
壁厚			壁厚			壁厚		
米重	0.844kg/m		米重	0.774kg/m		米重	0.869kg/m	
实际			实际			实际		
型号	YX-3030AF		型号	YX-3030AK		型号	YX-3030BH	
规格	30X30		规格	30X30		规格	30X30	
壁厚			壁厚			壁厚		
米重	1.151kg/m		米重	0.827kg/m		米重	0.885kg/m	
实际			实际			实际		
型号	YX-HM003		型号	YX-3030XA		型号	YX-3030AB	
规格	30X30		规格	30X30		规格	30X30	
壁厚			壁厚			壁厚		
米重	1.065kg/m		米重	0.871kg/m		米重	0.885kg/m	
实际			实际			实际		












12、European Standard Series #15*15

Autodesk
















1515 规格

					
型号	YX-1515				
规格	15x15				
壁厚					
米重	0.224kg/m				
实际					
					
型号	YX-1530				
规格	15x30				
壁厚					
米重	0.669kg/m				
实际					
					
型号	YX-1530B				
规格	15x30				
壁厚					
米重	0.622kg/m				
实际					
					
型号	YX-1530C				
规格	15x30				
壁厚					
米重	0.617kg/m				
实际					
					
型号	YX-1560A				
规格	15x60				
壁厚					
米重	1.331kg/m				
实际					
					
型号	YX-1640				
规格	16x40				
壁厚					
米重	1.189kg/m				
实际					

13、European Standard Series #20*20

型号	YX-2020		型号	YX-2020B		型号	YX-2020G	
规格	20X20		规格	20X20		规格	20X20	
壁厚			壁厚			壁厚		
米重	0.464kg/m		米重	0.496kg/m		米重	0.434kg/m	
实际			实际					
型号	YX-2020S		型号	YX-2020Z			YX-2020AB	
规格	20X20		规格	20X20			20X20	
壁厚			壁厚					
米重	0.399kg/m		米重	0.465kg/m			0.462kg/m	
实际			实际					
型号			型号	YX-2020R		型号	YX-2020V	
规格			规格	20X20		规格	20X20	
壁厚			壁厚			壁厚		
米重			米重	0.446kg/m		米重	0.453kg/m	
实际			实际			实际		
型号	YX-2020K		型号			型号		
规格	20X20		规格			规格		
壁厚			壁厚			壁厚		
米重	0.44kg/m		米重			米重		
实际			实际			实际		
型号	YX-2035		型号	YX-2035A				
规格	20X35		规格	20X35				
壁厚			壁厚					
米重	0.64kg/m		米重	0.81kg/m				

14、European Standard Series #20*40


型号	YX-2040		型号	YX-2040A		型号	YX-2040B	
规格	20X40		规格	20X40			20X40	
壁厚			壁厚					
米重	0.811kg/m		米重	1.255kg/m			1.218kg/m	
型号	YX-2040C		型号	YX-2040X		型号	YX-2040L	
规格	20X40		规格	20X40			20X40	
壁厚			壁厚					
米重	0.727kg/m		米重	0.892kg/m			1.127kg/m	
型号	YX-2040V		型号	YX-2040AB		型号	YX-2040Y	
规格	20X40		规格	20X40			20X40	
壁厚			壁厚					
米重	0.78kg/m		米重	0.855kg/m			1.243kg/m	
型号	YX-2040BA		型号	YX-2040BC		型号	YX-2040AK	
规格	20X40		规格	20X40			20X40	
壁厚			壁厚					
米重	0.875kg/m		米重	1.12kg/m			0.858kg/m	
型号	YX-2040AT		型号	YX-2040M		型号	YX-2040BD	
规格			规格					
壁厚			壁厚					
米重	0.802kg/m		米重	1.138kg/m			0.827kg/m	
实际			实际					

15、European Standard Series #20*45


20*45 60 80 规格

ALUMESK


型号	YX-2045
规格	20x45
壁厚	
米重	0.982kg/m
实际	




型号	YX-DYN012
规格	25*25
壁厚	
米重	0.658kg/m
实际	




型号	YX-2060
规格	20x60
壁厚	
米重	1.154kg/m
实际	




型号	YX-2060AD
规格	20x60
壁厚	
米重	1.165kg/m
实际	



型号	YX-2080
规格	20x80
壁厚	
米重	1.502kg/m
实际	



型号	YX-2080A
规格	20x80
壁厚	
米重	1.491kg/m
实际	


















16、European Standard Series #30*30











型号	YX-3030AT		型号	YX-3030AS		型号	YX-3030AG	
规格	30x30		规格	30x30		规格	30x30	
壁厚			壁厚			壁厚		
米重	0.877kg/m		米重	0.843kg/m		米重	0.848kg/m	
实际			实际			实际		
型号	YX-3030AE		型号	YX-3030R		型号	YX-3030J	
规格	30x30		规格	30x30		规格	30x30	
壁厚			壁厚			壁厚		
米重	0.96kg/m		米重	0.887kg/m		米重	0.943kg/m	
实际			实际			实际		
型号	YX-3030BA		型号	YX-3030CH		型号	YX-3030L	
规格	30x30		规格	30x30		规格	30x30	
壁厚			壁厚			壁厚		
米重	1.02kg/m		米重	0.544kg/m		米重	0.818kg/m	
实际			实际			实际		
型号	YX-3030QS		型号	YX-BYN029		型号	YX-3030HD	
规格	30x30		规格	30x30		规格	30x30	
壁厚			壁厚			壁厚		
米重	0.85kg/m		米重	0.77kg/m		米重	1.07kg/m	
实际			实际			实际		
型号	YX-3030HG		型号	YX-3030CA		型号	YX-3030HR	
规格	30x30		规格	30x30		规格	30x30	
壁厚			壁厚			壁厚		
米重	0.98kg/m		米重	0.61kg/m		米重	0.8kg/m	
实际			实际			实际		

型号	YX-3030HR01		型号	YX-3030HR02	
规格	30x30		规格	30x30	
壁厚			壁厚		
米重	0.83kg/m		米重	0.859kg/m	
实际			实际		

17、European Standard Series #30*60

型号	YX-3060AK		型号	YX-3060BA		型号	YX-3060AL	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	1.623kg/m		米重	1.54kg/m		米重	1.595kg/m	
实际			实际			实际		
型号	YX-3060XA		型号	YX-3060AB		型号	YX-3060AC	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	1.571kg/m		米重	1.723kg/m		米重	1.73kg/m	
实际			实际			实际		
型号	YX-3060T		型号	YX-3060Q		型号	YX-3060E	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	1.747kg/m		米重	1.536kg/m		米重	1.698kg/m	
实际			实际			实际		
型号	YX-3060R		型号	YX-3060AP		型号	YX-3060L	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	1.88kg/m		米重	1.49kg/m		米重	1.41kg/m	
实际			实际			实际		
型号	YX-3060XN		型号	YX-3060B		型号	YX-3060HG	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	2.29kg/m		米重	1.52kg/m		米重	1.6kg/m	
实际			实际			实际		











18、European Standard Series #30*60

型号	YX-3060AK		型号	YX-3060BA		型号	YX-3060HR	
规格	30X60		规格	30X60		规格	30X60	
壁厚			壁厚			壁厚		
米重	1.275kg/m		米重	1.555kg/m		米重	1.46kg/m	
实际			实际			实际		
型号	YX-3060HR 01		型号	YX-3060CB				
规格	30X60		规格	30X60				
壁厚			壁厚					
米重	1.435kg/m		米重	1.47kg/m				
实际			实际					
型号	YX-3090		型号	YX-3090BY 01		型号	YX-3535A	
规格	30X90		规格	30X90		规格	35*35	
壁厚			壁厚			壁厚		
米重	2.298kg/m		米重	2.327kg/m		米重	1.355kg/m	
实际			实际			实际		
30150 规格								
型号	YX-30150C		型号	YX-30150E				
规格	30150		规格	30150				
壁厚			壁厚					
米重	7.458kg/m		米重	3.412kg/m				
实际			实际					






19、European Standard Series # 45*45

4545 规格













Autodesk

型号	YX-4545		型号	YX-4545R		型号	YX-4545AE	
规格	45X45		规格	45X45		规格	45X45	
壁厚			壁厚			壁厚		
米重	1.778kg/m		米重	1.719kg/m		米重	1.655kg/m	
实际			实际			实际		
型号	YX-4545P		型号	YX-4545W		型号	YX-4545X	
规格	45X45		规格	45X45		规格	45X45	
壁厚			壁厚			壁厚		
米重	2.070kg/m		米重	1.739kg/m		米重	1.449kg/m	
实际			实际			实际		
型号	YX-4545Y		型号	YX-4545L		型号	YX-4545A	
规格	45X45		规格	45X45		规格	45X45	
壁厚			壁厚			壁厚		
米重	2.249kg/m		米重	1.524kg/m		米重	1.39kg/m	
实际			实际			实际		
型号	YX-4545LB							
规格	45X45							
壁厚								
米重	1.38kg/m							
实际								














20、European Standard Series # 45*90

型号	YX-4590W		型号	YX-4590X		型号	YX-4590B	
规格	45X90		规格	45X90		规格	45X90	
壁厚			壁厚			壁厚		
米重	3.957kg/m		米重	3.446kg/m		米重	2.932kg/m	
实际			实际			实际		
型号	YX-4590		型号	YX-4590Y				
规格	45X90		规格	45X90				
壁厚			壁厚					
米重	3.551kg/m		米重	3.757kg/m				
实际			实际					



21、European Standard Series # 50*50

型号	YX-5050		型号	YX-5050A		型号	YX-5050AB	
规格	50X50		规格	50X50		规格	50X50	
壁厚			壁厚			壁厚		
米重	2.573kg/m		米重	2.066kg/m		米重	2.758kg/m	
实际			实际			实际		
型号	YX-5050AC		型号	YX-5050AH		型号	YX-5050K	
规格	50X50		规格	50X50		规格	50X50	
壁厚			壁厚			壁厚		
米重	2.849kg/m		米重	2.062kg/m		米重	2.24kg/m	
实际			实际			实际		
型号	YX-5050W		型号	YX-5050Z		型号	YX-5050AD	
规格	50X50		规格	50X50		规格	50X50	
壁厚			壁厚			壁厚		
米重	2.978kg/m		米重	2.327kg/m		米重	2.48kg/m	
实际			实际			实际		
型号	YX-5050HD		型号	YX-5025HD				
规格	50X50		规格	50X25				
壁厚								
米重	3.02kg/m			1.22kg/m				
实际								
型号	YX-SHBX010							
规格	50X25							
壁厚								
米重	1.18kg/m							
















22、European Standard Series #60*60

型号	YX-GN6060A		型号	YX-6060AB		型号	YX-6060AC	
规格	60X60		规格	60X60		规格	60X60	
壁厚			壁厚			壁厚		
米重	2.632kg/m		米重	3.466kg/m		米重	2.773kg/m	
实际			实际			实际		
型号	YX-6060J		型号	YX-6060		型号	YX-6060W	
规格	60X60		规格	60X60		规格	60X60	
壁厚			壁厚			壁厚		
米重	2.410kg/m		米重	2.566kg/m		米重	3.712kg/m	
实际			实际			实际		
型号	YX-6060R		型号	YX-6060Z		型号	YX-6060E	
规格	60X60		规格	60X60		规格	60X60	
壁厚			壁厚			壁厚		
米重	2.187kg/m		米重	2.384kg/m		米重	2.35kg/m	
实际			实际			实际		
型号	YX-6060L		型号	YX-6060HD		型号	YX-6060HG	
规格	60X60		规格	60X60		规格	60X60	
壁厚			壁厚			壁厚		
米重	2.17kg/m		米重	1.82kg/m		米重	2.5kg/m	
实际			实际			实际		
型号	YX-6060HA							
规格	60X60							
壁厚								
米重	1.96kg/m							
实际								








90-120 规格

型号	YX-6090E		型号	YX-60120B	
规格	60X90		规格	60X120	
壁厚			壁厚		
米重	3.443kg/m		米重	5.643kg/m	
实际			实际		





23、European Standard Series #80*80

型号	YX-8080A		型号	YX-8080AB		型号	YX-8080AV	
规格	80X80		规格	80X80		规格	80X80	
壁厚			壁厚			壁厚		
米重	4.275kg/m		米重	4.681kg/m		米重	4.305kg/m	
实际			实际			实际		
型号	YX-8080AF		型号	YX-8080AP		型号	YX-8080B	
规格	80X80		规格	80X80		规格	80X80	
壁厚			壁厚			壁厚		
米重	5.16kg/m		米重	4.782kg/m		米重	4.681kg/m	
实际			实际			实际		
型号	YX-8080H		型号	YX-8080XA		型号	YX-8080XB	
规格	80X80		规格	80X80		规格	80X80	
壁厚			壁厚			壁厚		
米重	7.095kg/m		米重	3.434kg/m		米重	4.728kg/m	
实际			实际			实际		
型号	YX-8080XC		型号	YX-8080XN		型号	YX-8080G	
规格	80X80		规格	80X80		规格	80X80	
壁厚			壁厚			壁厚		
米重	3.93kg/m		米重	3.437kg/m		米重	3.815kg/m	
实际			实际			实际		
型号	YX-8080L		型号	YX-8080Y		型号	YX-8080BC	
规格	80X80		规格	80X80		规格	80X80	
壁厚			壁厚			壁厚		
米重	3.678kg/m		米重	4.522kg/m		米重	6.51kg/m	
实际			实际			实际		

25、European Standard Series #50*100

型号	YX-50100		型号	YX-50100A		型号	YX-50100B	
规格	50X100		规格	50X100		规格	50X100	
壁厚			壁厚			壁厚		
米重	4.02kg/m		米重	3.67kg/m		米重	5.323kg/m	
实际			实际			实际		
型号	YX-50100C		型号	YX-50100D		型号	YX-50100K	
规格	50X100		规格	50X100		规格	50X100	
壁厚			壁厚			壁厚		
米重	4.106kg/m		米重	4.128kg/m		米重	3.773kg/m	
实际			实际			实际		
型号	YX-50100JT							
规格	50X100							
壁厚								
米重	3.72kg/m							
实际								

26、European Standard Series #90*90

型号	YX-9090H		型号	YX-9090E		型号	YX-HD005	
规格	90X90		规格	90X90		规格	90X90	
壁厚			壁厚			壁厚		
米重	5.403kg/m		米重	6.221kg/m		米重	8.12kg/m	
实际			实际			实际		
型号	YX-100 100B							
规格								
米重	10 kg/m							
实际								

联系方式 Contact

 江苏金美诚金属制品有限公司
Jiangsu Jinmeicheng Metal Products Co., Ltd

赵振清 / Mike Zhao

总经理
General Manager

+86 13921969588
+86 15150200777

<https://jmcjszp.en.alibaba.com/>
mikezhao@jinmeicheng.com

江苏苏州张家港金港街道善政路111号
No.111, Shanzheng Road, Jingang Street,
Zhangjiagang, Suzhou, Jiangsu



 江苏金美诚金属制品有限公司
Jiangsu Jinmeicheng Metal Products Co., Ltd

韦苏文 / Susan Wei

外贸业务员
Sale Manager

+86 13962459333

<https://jmcjszp.en.alibaba.com/>
susanwei@jinmeicheng.com

江苏苏州张家港金港街道善政路111号
No.111, Shanzheng Road, Jingang Street,
Zhangjiagang, Suzhou, Jiangsu



 江苏金美诚金属制品有限公司
Jiangsu Jinmeicheng Metal Products Co., Ltd

黄丽琼 / Lily Huang

外贸业务员
Sale Manager

+86 17815928911

<https://jmcjszp.en.alibaba.com/>
lilyhuang@jinmeicheng.com

江苏苏州张家港金港街道善政路111号
No.111, Shanzheng Road, Jingang Street,
Zhangjiagang, Suzhou, Jiangsu



 江苏金美诚金属制品有限公司
Jiangsu Jinmeicheng Metal Products Co., Ltd

殷雨姿 / Kate Yin

外贸业务员
Sale Manager

+86 18206249967

<https://jmcjszp.en.alibaba.com/>
kateyin@jinmeicheng.com

江苏苏州张家港金港街道善政路111号
No.111, Shanzheng Road, Jingang Street,
Zhangjiagang, Suzhou, Jiangsu



Looking Forward Cooperation



Dear Customer:

If you have any needs for aluminum products, you are welcome to call us and visit the factory. Our company integrates industry and trade, sells directly from the factory, supports customization, adheres to the principle of strictly selecting materials and operating with integrity, and sincerely serves you. We firmly believe in "win with integrity" and all products are traceable to the original manufacturer's certificate to ensure high quality and transparency. Our goal is to provide competitive aluminum products to customers around the world. Look forward to working with you!

Contact information:

Mike Zhao: 13921969588 (Same as WeChat)

Susan Wei: 13962459333 (Same as WeChat)

Address: No.111,Shanzheng Road,jingang Street,Zhangjiagang,
Suzhou,Jiangsu Province,China

